INDEX TO AUTHORS

A

ABRAHAMS, SUSAN J., and HOLTZMAN, ERIC. Secretion and endocytosis in insulin-stimulated rat adrenal medulla cells, 540

ADELMAN, M. R., BLOBEL, GÜNTER, and SABATINI, DAVID D. An improved cell fractionation procedure for the preparation of rat liver membrane-bound ribosomes, 191

—, SABATINI, DAVID D., and BLOBEL, GÜNTER. Ribosome-membrane interaction. Nondestructive disassembly of rat liver rough microsomes into ribosomal and membranous components, 206

ALLEN, RICHARD D. Structures linking the myonemes, endoplasmic reticulum, and surface membranes in the contractile ciliate *Vorticella*, 559

ATTARDI, GIUSEPPE. See STORRIE and ATTARDI, 819, 833

B

BAINTON, DOROTHY F. See JENSEN and BAINTON, 379

BDOLAH, A. See ORON and BDOLAH, 177

BECKER, WAYNE M. See GRUBER, BECKER, and NEWCOMB, 500

BENNETT, MICHAEL V. L. See SZAMIER and BENNETT, 466

BEUG, H., KATZ, F. E., and GERISCH, G. Dynamics of antigenic membrane sites relating to cell aggregation in *Dictyostelium discoideum*, 647

BLACK, PAUL H. See MCNUTT, CULP, and BLACK, 412

BLOBEL, GÜNTER. See ADELMAN, BLOBEL, and SABATINI, 191

—. See ADELMAN, SABATINI, and BLOBEL, 206

BOLENDER, ROBERT P., and WEIBEL, EWALD R. A morphometric study of the removal of phenobarbital-induced membranes from hepatocytes after cessation of treatment, 746

BOUCK, G. BENJAMIN, and BROWN, DAVID L. Microtubule biogenesis and cell shape in *Ochromonas*. I. The distribution of cytoplasmic and mitotic microtubules, 340

—. See BROWN and BOUCK, 360

BRAY, D. Branching patterns of individual sympathetic neurons in culture, 702

BROWN, DAVID L., and BOUCK, G. BENJAMIN. Microtubule biogenesis and cell shape in *Ochromonas*. II. The role of nucleating sites in shape development, 360

—. See BOUCK and BROWN, 340

BROWN, DENNIS T. See KORENBROT, BROWN, and CONE, 389

BUNGE, MARY BARTLETT. Fine structure of nerve fibers and growth cones of isolated sympathetic neurons in culture, 713

BURNS, E. ROBERT, and SCHEVING, LAWRENCE E. Isoproterenol-induced phase shifts in circadian rhythm of mitosis in murine corneal epithelium, 605

BUTCHER, FRED R., and PERDUE, JAMES F. Cytochalasin B. Effects on hormone-mediated responses in cultured cells, 857

C

CHAN, LEE-NIEN L., and INGRAM, V. M. Culture of erythropoietic cells from chick blastoderms, 861

CHENG, D. See SEEMAN, CHENG, and ILES, 519

CINADER, B. See ILES, SEEMAN, NAYLOR, and CINADER, 528

CLARK, MARGARET K., and DAHM, PAUL A. Phenobarbital-induced membrane-like scrolls in the oenocytes of *Musca domestica* Linnaeus, 870

COCHRAN-FOUTS, PATRICIA. See WOLSTENHOLME, KOIKE, and COCHRAN-FOUTS, 230

CONE, RICHARD A. See KORENBROT, BROWN, and CONE, 389

COOKE, P. H. See FAY and COOKE, 399

CULP, LLOYD A. See MCNUTT, CULP, and BLACK, 412

D

DAHM, PAUL A. See CLARK and DAHM, 870

DALLNER, GUSTAV. See NILSSON, PETERSON, and DALLNER, 762

DAVIES, MARGARET. See GERBER, DAVIES, and HOKIN, 736

DEHAAN, ROBERT L. See SACHS, MCDONALD, and DEHAAN, 255

DEMBITZER, HERBERT M. See HIRANO and DEMBITZER, 478

DEPIERRE, JOSEPH W., and KARNOVSKY, MANFRED L. Plasma membranes of mammalian cells. A review of methods for their characterization and isolation, 275

DUAFALA, JOAN G. See PITELKA, HAMAMOTO, DUAFALA, and NEMANIC, 797

F

FAY, FREDRIC S., and COOKE, P. H. Reversible disaggregation of myofilaments in vertebrate smooth muscle, 399

FILNER, PHILIP. See RUBIN and FILNER, 628

FINGER, IRVING, LAVANCHY, PATRICIA, and MEANY, ANN. Synthesis of *Paramecium* surface proteins. I. Puromycin insensitive amino acid incorporation, 434

FORBES, M. S., and SPERELAKIS, N. A labyrinthine structure formed from a transverse tubule of mouse ventricular myocardium, 865

FRANKEL, JOSEPH. See WILLIAMS and FRANKEL, 441

FRANSON, RICHARD C., and WAITE, MOSELEY. Lysosomal phospholipases A_1 and A_2 of normal and Bacillus Calmette Guérin-induced alveolar macrophages, 621

FRANZINI-ARMSTRONG, CLARA. Studies of the triad. IV. Structure of the junction in frog slow fibers, 120

FRIEDMAN, SUSAN. See POLAN, FRIEDMAN, GALL, and GEHRING, 580

G

GALL, JOSEPH G. See POLAN, FRIEDMAN, GALL, and GEHRING, 580

GEHRING, WALTER. See POLAN, FRIEDMAN, GALL, and GEHRING, 580

GERBER, DOROTHY, DAVIES, MARGARET, and HOKIN, LOWELL E. The effects of secretagogues on the incorporation of [2-^{3}H]myoinositol into lipid in cytological fractions in the pancreas of the guinea pig in vivo, 736

GERISCH, G. See BEUG, KATZ, and GERISCH, 647

GERSHON, MICHAEL D., and NUNEZ, ELADIO A. Subcellular storage organelles for 5-hydroxytryptamine in parafollicular cells of the thyroid gland. The effect of drugs which deplete the amine, 676

GOLDPERG, ALFRED L. See LOW and GOLDBERG, 590

GOLDSTEIN, LESTER. See WISE and GOLDSTEIN, 129

GOLDWASSER, EUGENE. See MEINTS and GOLDWASSER, 429

GOROVSKY, MARTIN A., HATTMAN, STANLEY, and PLEGER, GLORIA LORICK. [^{6}N]Methyl adenine in the nuclear DNA of a eucaryote *Tetrahymena pyriformis*, 697

GRIMES, WILLIAM J., and SCHROEDER, JUDITH L. Dibutyryl cyclic adenosine 3′ 5′ monophosphate, sugar transport, and regulatory control of cell division in normal and transformed cells, 487

GRINNELL, FREDERICK, MILAM, MARY, and SRERE, PAUL A. Studies on cell adhesion. III. Adhesion of baby hamster kidney cells, 659

GRUBER, PETER J., BECKER, WAYNE M., and NEWCOMB, ELDON H. The development of microbodies and peroxisomal enzymes in greening bean leaves, 500

H

HAMAMOTO, SUSAN T. See PITELKA, HAMAMOTO, DUAFALA, and NEMANIC, 797

HATTMAN, STANLEY. See GOROVSKY, HATTMAN, and PLEGER, 697

HIRANO, ASAO, and DEMBITZER, HERBERT M. Cerebellar alterations in the weaver mouse, 478

HOKIN, LOWELL E. See GERBER, DAVIES, and HOKIN, 736

HOLTZMAN, ERIC. See ABRAHAMS and HOLTZMAN, 540

HOOBER, J. KENNETH, and STEGEMAN, WILLIAM J. Control of the synthesis of a major polypeptide of chloroplast membranes in *Chlamydomonas reinhardi*, 1

HOPPEL, CHARLES L. See TANDLER and HOPPEL, 266

HOYLE, GRAHAM, MCNEILL, PATRICIA A., and SELVERSTON, ALLEN I. Ultrastructure of barnacle giant muscle fibers, 74

HUMPHREYS, WALTER J., WODZICKI, TOMASZ J., and PAUL[illegible]ROME J. Fractographic studies of plastic-embedded cells by scanning electron microscopy, 876

—. See WODZICKI and HUMPHREYS, 263

I

ILES, G. H., SEEMAN, P., NAYLOR, D., and CINADER, B. Membrane lesions in immune lysis. Surface rings, globule aggregates, and transient openings, 528

—. See SEEMAN, CHENG, and ILES, 519

INGRAM, V. M. See CHAN and INGRAM, 861

J

JACOBSON, ELAINE L. See WOLSTENHOLME, MCLAREN, KOIKE, and JACOBSON, 247

JENSEN, MICHAEL S., and BAINTON, DOROTHY F. Temporal changes in pH within the phagocytic vacuole of the polymorphonuclear neutrophilic leukocyte, 379

JEWETT, PAUL H., LEONARD, STEPHEN D., and SOMMER, JOACHIM R. Chicken cardiac muscle. Its elusive extended junctional sarcoplasmic reticulum and sarcoplasmic reticulum fenestrations, 595

K

KARNOVSKY, MANFRED L. See DEPIERRE and KARNOVSKY, 275

KATZ, F. E. See BEUG, KATZ, and GERISCH, 647

KNIGHT, E., JR. Interferon: effect on the saturation density to which mouse cells will grow in vitro, 846

KOIDE, T. See RUBIN and KOIDE, 777

KOIKE, KATSURO. See WOLSTENHOLME, KOIKE, and COCHRAN-FOUTS, 230

—. See WOLSTENHOLME, MCLAREN, KOIKE, and JACOBSON, 247

KORENBROT, JUAN I., BROWN, DENNIS T., and CONE, RICHARD A. Membrane characteristics and osmotic behavior of isolated rod outer segments, 389

L

LANDIS, STORY C. See MCINTOSH, OGATA, and LANDIS, 304

LAVANCHY, PATRICIA. See FINGER, LAVANCHY, and MEANY, 434

LEBLOND, C. P. See WEINSTOCK and LEBLOND, 838

LEDERBERG, SEYMOUR. See STETTEN and LEDERBERG, 259
LEONARD, STEPHEN D. See JEWETT, LEONARD, and SOMMER, 595
LEV, ROBERT. See ORLIC and LEV, 106
LOW, ROBERT B., and GOLDBERG, ALFRED L. Nonuniform rates of turnover of myofibrillar proteins in rat diaphragm, 590
LUTTON, J. D. The effect of phagocytosis and spreading on macrophage surface receptors for concanavalin A, 611

M

MATTER, ALEX. A morphometric study on the nexus of rat cardiac muscle, 690
MCDONALD, TERENCE F. See SACHS, MCDONALD, and DEHAAN, 255
MCINTOSH, J. RICHARD. The axostyle of *Saccinobaculus*. II. Motion of the microtubule bundle and a structural comparison of straight and bent axostyles, 324
—, OGATA, EDWARD S., and LANDIS, STORY C. The axostyle of *Saccinobaculus*. I. Structure of the organism and its microtubule bundle, 304
MCLAREN, JOHN D. See WOLSTENHOLME, MCLAREN, KOIKE, and JACOBSON, 247
MCNEILL, PATRICIA A. See HOYLE, MCNEILL, and SELVERSTON, 74
MCNUTT, N. SCOTT, CULP, LLOYD A., and BLACK, PAUL H. Contact-inhibited revertant cell lines isolated from SV40-transformed cells. IV. Microfilament distribution and cell shape in untransformed, transformed, and revertant Balb/c 3T3 cells, 412
MCQUILLEN, NANCY K. See PRATLEY and MCQUILLEN, 850
MEANY, ANN. See Finger, LAVANCHY, and MEANY, 434
MEINTS, RUSSELL, and GOLDWASSER, EUGENE. The persistence of hemopoietic stem cells in vitro, 429
MILAM, MARY. See GRINNELL, MILAM, and SRERE, 659
MINOR, RONALD R. Somite chondrogenesis. A structural analysis, 27
MOOSEKER, MARK S., AND TILNEY, LEWIS G. Isolation and reactivation of the axostyle. Evidence for a dynein-like adenosine triphosphatase in the axostyle, 13
MOSES, MONTROSE J. See SOLARI and MOSES, 145

N

NAYLOR, D. See ILES, SEEMAN, NAYLOR, and CINADER, 528
NELSEN, E. MARLO. See WILLIAMS and NELSEN, 458
NEMANIC, MICHAEL K. See PITELKA, HAMAMOTO, DUAFALA, and NEMANIC, 797
NEWCOMB, ELDON H. See GRUBER, BECKER, and NEWCOMB, 500
NILSSON, ROBERT, PETERSON, ELISABETH, and DALLNER, GUSTAV. Permeability of microsomal membranes isolated from rat liver, 762
NUNEZ, ELADIO A. See GERSHON and NUNEZ, 676

O

OGATA, EDWARD S. See MCINTOSH, OGATA, and LANDIS, 304
ORLIC, DONALD, and LEV, ROBERT. Fetal rat intestinal absorption of horseradish peroxidase from swallowed amniotic fluid, 106
ORON, U., and BDOLAH, A. Regulation of protein synthesis in the venom gland of viperid snakes, 177
OVERTON, JANE. Experimental manipulation of desmosome formation, 636

P

PAULIN, JEROME J. See HUMPHREYS, WODZICKI, and PAULIN, 876
PELLETIER, G., and PUVIANI, R. Detection of glycoproteins and autoradiographic localization of [^{3}H] fucose in the thyroidectomy cells of rat anterior pituitary gland, 600
PERDUE, JAMES F. See BUTCHER and PERDUE, 857
PETERSON, ELISABETH. See NILSSON, PETERSON, and DALLNER, 762
PHILPOTT C. W. See QUINTON and PHILPOTT, 787
PITELKA, DOROTHY R., HAMAMOTO, SUSAN T., DUAFALA, JOAN G., and NEMANIC, MICHAEL K. Cell contacts in the mouse mammary gland. I. Normal gland in postnatal development and the secretory cycle, 797
PLAUT, W. See UMIEL and PLAUT, 139
PLEGER, GLORIA LORICK. See GOROVSKY, HATTMAN, and PLEGER, 697
POLAN, MARY LAKE, FRIEDMAN, SUSAN, GALL, JOSEPH G., and GEHRING, WALTER. Isolation and characterization of mitochondrial DNA from *Drosophila melanogaster*, 580
PRATLEY, JAMES N., and MCQUILLEN, NANCY K. The role of microfilaments in frog skin ion transport, 850
PUVIANI, R. See PELLETIER and PUVIANI, 600

Q

QUINTON, P. M., and PHILPOTT, C. W. A role for anionic sites in epithelial architecture. Effects of cationic polymers on cell membrane structure, 787

R

ROBERTSON, J. DAVID. See ZAMPIGHI and ROBERTSON, 92
RUBIN, H., and KOIDE, T. Inhibition of DNA synthesis in chick embryo cultures by deprivation of either serum or zinc, 777
RUBIN, ROBERT W., and FILNER, PHILIP. Adenosine 3′,5′-cyclic monophosphate in *Chlamydomonas reinhardtii*. Influence on flagellar function and regeneration, 628
RYAN, J. W. See SMITH, RYAN, and SMITH, 492

S

SABATINI, DAVID D. See ADELMAN, BLOBEL, and SABATINI, 191
—. See ADELMAN, SABATINI, and BLOBEL, 206
SACHS, HOWARD G., MCDONALD, TERENCE F., and DEHAAN, ROBERT L. Tetrodotoxin sensitivity of

cultured embryonic heart cells depends on cell interactions, 255
SATIR, BIRGIT, SCHOOLEY, CAROLINE, AND SATIR, PETER. Membrane fusion in a model system. Mucocyst secretion in *Tetrahymena*, 153
SATIR, PETER. See SATIR, SCHOOLEY, and SATIR, 153
SCHEVING, LAWRENCE E. See BURNS and SCHEVING, 605
SCHNEIDER, LAWRENCE K. RNA synthesis in chromosome connectives, 608
SCHOOLEY, CAROLINE. See SATIR, SCHOOLEY, and SATIR, 153
SCHROEDER, JUDITH L. See GRIMES and SCHROEDER, 487
SEEMAN, P., CHENG, D., and ILES, G. H. Structure of membrane holes in osmotic and saponin hemolysis, 519
—. See ILES, SEEMAN, NAYLOR, and CINADER, 528
SELVERSTON, ALLEN I. See HOYLE, MCNEILL, and SELVERSTON, 74
SIRAK, HOWARD D. See STONER and SIRAK, 51, 65
SMITH, D. S. See SMITH, RYAN, and SMITH, 492
SMITH, UNA, RYAN, J. W., and SMITH, D. S. Freeze-etch studies of the plasma membrane of pulmonary endothelial cells, 492
SOLARI, ALBERTO J., and MOSES, MONTROSE J. The structure of the central region in the synaptonemal complexes of hamster and cricket spermatocytes, 145
SOMMER, JOACHIM R. See JEWETT, LEONARD, and SOMMER, 595
SPERELAKIS, N. See FORBES and SPERELAKIS, 865
SRERE, PAUL A. See GRINNELL, MILAM, and SRERE, 659
STEGEMAN, WILLIAM J. See HOOBER and STEGEMAN, 1
STETTEN, GAIL, and LEDERBERG, SEYMOUR. Colcemid sensitivity of fission yeast. II. Sensitivity of stages of the cell cycle, 259
STONER, CLINTON D., and SIRAK, HOWARD D. Adenine nucleotide-induced contraction of the inner mitochondrial membrane. I. General characterization, 51
—, and —. Adenine nucleotide-induced contraction of the inner mitochondrial membrane. II. Effect of bongkrekic acid, 65
STORRIE, BRIAN, and ATTARDI, GIUSEPPE. Expression of the mitochondrial genome in HeLa cells. XV. Effect of inhibition of mitochondrial protein synthesis on mitochondrial formation, 819
—, and —. Mode of mitochondrial formation in HeLa cells, 833
SZAMIER, R. BRUCE, and BENNETT, MICHAEL V. L. Rapid degeneration of ampullary electroreceptor organs after denervation, 466

T

TANDLER, BERNARD, and HOPPEL, CHARLES L. Division of giant mitochondria during recovery from cuprizone intoxication, 266
TILNEY, LEWIS G. See MOOSEKER and TILNEY, 13

U

UMIEL, N., and PLAUT, W. Interaction of poly-L-lysine with chromatin. Inhibition of *in situ* RNA synthesis mediated by *Escherichia coli* RNA polymerase, 139

W

WAITE, MOSELEY. See FRANSON and WAITE, 621
WEIBEL, EWALD R. See BOLENDER and WEIBEL, 746
WEINSTOCK, MELVYN, and LEBLOND, C. P. Radioautographic visualization of the deposition of a phosphoprotein at the mineralization front in the dentin of the rat incisor, 838
WILLIAMS, NORMAN E., and FRANKEL, JOSEPH. Regulation of microtubules in *Tetrahymena*. I. Electron microscopy of oral replacement, 441
—, and NELSEN, E. MARLO. Regulation of microtubules in *Tetrahymena*. II. Relation between turnover of microtubule proteins and microtubule dissociation and assembly during oral replacement, 458
WISE, GARY E., and GOLDSTEIN, LESTER. Electron microscope localization of nuclear RNAs that shuttle between cytoplasm and nucleus and nuclear RNAs that do not, 129
WODZICKI, TOMASZ J., and HUMPHREYS, WALTER J. Maturing pine tracheids. Organization of intravacuolar cytoplasm, 263
—. See HUMPHREYS, WODZICKI, and PAULIN, 876
WOLSTENHOLME, DAVID R., KOIKE, KATSURO, and COCHRAN-FOUTS, PATRICIA. Single strand-containing replicating molecules of circular mitochondrial DNA, 230
—, MCLAREN, JOHN D., KOIKE, KATSURO, and JACOBSON, ELAINE L. Catenated oligomeric circular DNA molecules from mitochondria of malignant and normal mouse and rat tissues, 247
WRIGHT, J. A. Evidence for pleiotropic changes in lines of Chinese hamster ovary cells resistant to concanavalin A and phytohemagglutinin-P, 666

Z

ZAMPIGHI, GUIDO, and ROBERTSON, J. DAVID. Fine structure of the synaptic discs separated from the goldfish medulla oblongata, 92

INDEX TO SUBJECTS

A

Actinomycin D and cordycepin, effects on culture of erythropoietic cells from chick blastoderms, cytological study, 861

Adenine nucleotide, characterization of contraction induced by, of inner membrane of bovine heart mitochondria, biochemical and EM study, 51

— nucleotide, effect of bongkrekic acid on contraction induced by, of inner membrane of bovine heart mitochondria, biochemical and EM study, 65

Adenosine 3′,5′-monophosphate, cyclic, effect on flagella function and regeneration, in *Chlamydomonas reinhardtii*, cytological and EM study, 628

— monophosphate, dibutyryl cyclic, sugar transport, and regulatory control of cell division, in normal and transformed 3T3 cells, biochemical study, 487

Adhesion of BHK-21-13s and BHK-py cells to polystyrene, biochemical study, 659

Adrenal medulla, of rat, insulin-stimulated, secretion and endocytosis in, cytochemical light and EM study, 540

Alga *Chlamydomonas reinhardi*, chloroplast, synthesis of polypeptide of thylakoid membranes, biochemical study, 1

— *Chlamydomonas reinhardtii*, flagella, effect of adenosine 3′,5′-cyclic monophosphate on function and regeneration of, cytological and EM study, 628

Amino acid incorporation, puromycin insensitive, by surface proteins of *Paramecium*, biochemical study, 434

Amniotic fluid, swallowed by fetal rat, intestinal absorption of horseradish peroxidase from, cytochemical light and EM study, 106

Ampullary electroreceptor organs, of catfish *Kryptopterus bicirrhus*, rapid degeneration of after denervation, light and EM study, 466

Antigenic membrane sites, in *Dictyostelium discoideum*, relation to cell aggregation, biochemical and immunological study, 647

ATPase, dynein-like, in axostyle of protozoa isolated from *Cryptocercus* gut, biochemical and light and EM study, 13

Axostyle, of flagellate *Saccinobaculus*, straight and bent, structural comparison of, motion of microtubule bundle, light and EM study, 324

—, of flagellate *Saccinobaculus*, structure of, and microtubule bundle, light and EM study, 304

—, of protozoa isolated from *Crytocercus* gut, dynein-like ATPase in, biochemical and light and EM study, 13

B

Barnacle *Balanus nubilus*, ultrastructure of giant muscle fibers of, light and EM study, 74

Bat *Myotis lucifugus*, thyroid gland, subcellular storage organelles for 5-hydroxytryptamine in parafollicular cells of, effect of reserpine and parachlorophenylalanine, biochemical and autoradiographic light and EM study, 676

BCG-induced alveolar macrophages, lysosomal phospholipases A_1 and A_2 of, biochemical study, 621

Beef, heart, mitochondria, characterization of adenine nucleotide-induced contraction of inner membrane of, biochemical and EM study, 51

—, heart, mitochondria, effect of bongkrekic acid on adenine nucleotide-induced contraction of inner membrane of, biochemical and EM study, 65

Bongkrekic acid, effect on adenine nucleotide-induced contraction of inner membrane, of bovine heart mitochondria, biochemical and EM study, 65

Brain, of goldfish, fine structure of synaptic discs from medulla oblongata, EM study, 92

Branching patterns of individual sympathetic neuron, in tissue culture, time-lapse cinematographic study, 702

C

Calcium, effect of on reversible disaggregation of myofilaments in vertebrate smooth muscle, physiological and EM study, 399

Catfish *Kryptopterus bicirrhus*, electroreceptor ampullary organs, rapid degeneration of after denervation, light and EM study, 466

Cationic polymers, polylysine, protamine, and histone, effects of on membrane structure of rabbit gall bladder epithelial cells, EM study, 787

Cell aggregation in *Dictyostelium discoideum*, relation of to antigenic membrane sites, biochemical and immunological study, 647

— contacts in mouse mammary gland, in postnatal development and secretory cycle, light and freeze-fractured and scanning EM study, 797

— division in fission yeast, inhibition by Colcemid, sensitivity of stages of cell cycle, cytological study, 259

— division, in normal and transformed 3T3 cells, dibutyryl cyclic adenosine monophosphate, sugar transport, and regulatory control of, biochemical study, 487

— shape and microfilament distribution, in untransformed, SV40-transformed, and revertant Balb/c 3T3 cells, light and EM study, 412

Cell, shape and microtubule biogenesis in *Ochromonas danica*, distribution of cytoplasmic and mitotic microtubules, cytological light and EM study, 340
— shape and microtubule biogenesis in *Ochromonas danica*, role of nucleating sites in development of, biochemical and light and EM study 360
Cells, baby hamster kidney BHK-21-L3s and BHK-py, adhesion of to polystyrene, biochemical study, 659
—, Balb/c 3T3 untransformed, SV40-transformed, and revertant, microfilament distribution and cell shape in, light and EM study, 412
—, Chang rat solid hepatoma, Novikoff rat ascites hepatoma, and Ehrlich mouse ascites hepatoma, catenated oligomeric circular DNA molecules from mitochondria of, EM study, 247
—, Chang rat solid hepatoma and Novikoff rat ascites hepatoma, single strand-containing replicating molecules of circular mitochondrial DNA of, EM study, 230
—, of chick embryo, effects of serum and zinc on DNA synthesis in cultures of, biochemical study, 777
—, chick embryo heart, tetrodotoxin sensitivity of, cytological study, 255
—, CHO lines resistant to concanavalin A and phytohemagglutinin-P, pleiotropic changes in, biochemical and cytological study, 666
—, 3T3 and Py-3T3, dibutyryl cyclic adenosine 3′,5′-monophosphate, sugar transport, and regulatory control of cell division in, biochemical study, 487
—, epithelial, of rabbit gall bladder, effects of cationic polymers on membrane structure of, EM study, 787
—, erythropoietic, culture of from chick blastoderms, effects of actinomycin D and cordycepin, cytological study, 861
—, HeLa, formation of mitochondria in, biochemical and EM study, 833
—, HeLa, mitochondria, effect of inhibition of protein synthesis on formation of, biochemical and EM study, 819
—, individual sympathetic neuron, of rat superior cervical ganglia, branching patterns of in tissue culture, time-lapse cinematographic study, 702
—, individual sympathetic neuron, of rat superior cervical ganglia, nerve fibers and growth cones of, EM study, 713
—, mammalian, methods for characterization and isolation of plasma membranes of, review article, 275
—, mouse L, 3T3, SV-3T3, and Py-3T3, effect of interferon on saturation density of in vitro growth, cytological study, 846
—, parafollicular, of bat thyroid gland, subcellular storage organelles for 5-hydroxytryptamine in, effect of reserpine and parachlorophenylalanine, biochemical and autoradiographic light and EM study, 676
Cells, peritoneal macrophages of mouse, effect of phagocytosis and spreading on surface receptors of for concanavalin A, biochemical study, 611
Cells, plastic embedded, of worm *Mercierella enigmatica*, *Tetrahymena pyriformis*, and *Pinus echinatus*, fractographic study by scanning EM, 876
—, pulmonary endothelial, of rat lung, plasma membrane of, freeze-etch EM study, 492
—, Reuber H-35 hepatoma, cytochalasin B inhibition of induction of tyrosine aminotransferase by insulin and cortisol in, biochemical study, 857
—, stem, hemopoietic, persistence of in vitro, cytological study, 429
—, thyroidectomy, of rat anterior pituitary gland, localization of glycoproteins and fucose in, histochemical and autoradiographic light and EM study, 600
Cerebellum, of weaver mouse, alteration in fine structure of, cytological EM study, 478
Chick blastoderms, culture of erythropoietic cells from, effects of actinomycin D and cordycepin, cytological study, 861
—, embryo, corneal epithelium, manipulation of desmosome formation in, EM study, 636
—, embryo, effects of serum and zinc on DNA synthesis in cell cultures, biochemical study, 777
—, embryo, somites, chondrogenesis in, biochemical and light and EM study, 27
Chicken, cardiac muscle, morphologic specializations of sarcoplasmic reticulum, EM study, 595
Chloroplast, of *Chlamydomonas reinhardi*, synthesis of polypeptide of thylakoid membranes, biochemical study, 1
Chondrogenesis, in chick embryo somites, biochemical and light and EM study, 27
Chromatin, of *Drosophila melanogaster* chromosomes, interaction of poly-L-lysine with, inhibition of *in situ* RNA synthesis mediated by *Escherichia coli* RNA polymerase, biochemical and autoradiographic study, 139
Chromosome connectives, RNA synthesis in, in opossum lymphocytes, autoradiographic study, 608
Chromosomes, of *Drosophila melanogaster* salivary glands, interaction of poly-L-lysine with chromatin in, inhibition of *in situ* RNA synthesis mediated by *Escherichia coli* RNA polymerase, biochemical and autoradiographic study, 139
Circadian rhythm of mitosis in murine corneal epithelium, isoproterenol-induced phase shifts in, cytological study, 605
Colcemid, inhibition of cell division by in fission yeast, sensitivity of stages of cell cycle, cytological study, 259
Complexes, synaptonemal, of hamster and cricket spermatocytes, structure of central region in, EM study, 145
Concanavalin A, effect of phagocytosis and spreading on macrophage surface receptors for, biochemical study, 611
— A and phytohemagglutinin-P, pleiotropic changes in CHO cells resistant to, biochemical and cytological study, 666
Contact-inhibition, revertant Balb/c 3T3 cells, micro-

filament distribution and cell shape in, light and EM study, 412
Contraction induced by adenine nucleotide, characterization of in inner membrane of bovine heart mitochondria, biochemical and EM study, 51
– induced by adenine nucleotide, in inner membrane of bovine heart mitochondria, effect of bongkrekic acid, biochemical and EM study, 65
Cordycepin and actinomycin D, effects on culture of erythropoietic cells from chick blastoderms, cytological study, 861
Cornea, of chick embryo, manipulation of desmosome formation in epithelium of, EM study, 636
Cuprizone intoxication, division of giant mitochondria of mouse liver during recovery from, cytological study, 266
Cyclic adenosine monophosphate, dibutyryl, sugar transport, and regulatory control of cell division, in normal and transformed 3T3 cells, biochemical study, 487
– adenosine monophosphate, effect on flagellar function and regeneration, in *Chlamydomonas reinhardtii*, cytological and EM study, 628
Cytochalasin B, inhibition by of insulin and cortisol induction of tyrosine aminotransferase in Reuber H-35 cells, biochemical study, 857
Cytoplasm, distribution of microtubules in, microtubule biogenesis and cell shape in *Ochromonas danica*, cytological light and EM study, 340
–, intravacuolar, organization of in maturing pine tracheids, EM study, 263
– and nucleus, of *Amoeba proteus*, localization of nuclear RNA migrating between, autoradiographic EM study, 129

D

Denervation, of catfish ampullary electroreceptor organs, and rapid degeneration of, light and EM study, 466
Dentin, of rat incisor, deposition of phosphoprotein at mineralization front of, radioautographic and EM study, 838
Desmosome formation, manipulation of, in chick embryo corneal epithelium, EM study, 636
Diaphragm, of rat, nonuniform rates of turnover of myofibrillar proteins in, biochemical study, 590
Discs, synaptic, separated from goldfish medulla oblongata, EM study, 92
DNA, in chick embryo cultures, effects of serum or zinc on synthesis of, biochemical study, 777
–, circular, catenated oligomeric, from mitochondria of malignant and normal mouse and rat tissues, EM study, 247
–, circular, of hepatoma cell mitochondria, single strand-containing replicating molecules of, EM study, 230
–, isolation and characterization of from mitochondria of *Drosophila melanogaster* eggs, biochemical and EM study, 580
–, of *Tetrahymena pyriformis* macronucleus, metnyl adenine in, biochemical study, 697
Dynein-like ATPase in axostyle of protozoa isolated from *Cryptocercus* gut, biochemical and light and EM study, 13

E

Eggs, of *Drosophila melanogaster*, isolation and characterization of mitochondrial DNA from, biochemical and EM study, 580
Electroreceptor ampullary organs, of catfish *Kryptopterus bicirrhus*, rapid degeneration of after denervation, light and EM study, 466
Embryo, chick, corneal epithelium, manipulation of desmosome formation in, EM study, 636
–, chick, effects of serum and zinc on DNA synthesis in cell cultures, biochemical study, 777
–, chick, somites, chondrogenesis in, biochemical and light and EM study, 27
Endocytosis and secretion, in rat adrenal medulla cells stimulated by insulin, cytochemical light and EM study, 540
Enzymes, peroxisomal, and microbodies, development of in greening bean leaves, biochemical and EM study, 500
Epithelium, corneal, of chick embryo, manipulation of desmosome formation in, EM study, 636
Erythrocytes, human, structure of membrane holes in osmotic and saponin hemolysis of, EM study, 519
–, sheep, membrane lesions in immune lysis of, surface rings, globule aggregates, and transient openings, EM study, 528
Eye, of frog, membrane characteristics and osmotic behavior of rod outer segments isolated from, physical and freeze-etch EM study, 389
–, of mouse, isoproterenol-induced phase shifts in circadian rhythm of mitosis in corneal epithelium of, cytological study, 605

F

Fat body, of house fly, phenobarbital-induced membrane-like scrolls in oenocytes of, EM study, 870
Fetus, rat, intestine, absorption of horseradish peroxidase from swallowed amniotic fluid, cytochemical light and EM study, 106
Fibers, giant, ultrastructure of, in barnacle muscle, light and EM study, 74
–, slow, of frog muscle, structure of triad junction in, EM study, 120
Filaments, micro-, distribution of, and cell shape, in untransformed, SV40-transformed, and revertant Balb/c 3T3 cells, light and EM study, 412
Flagella, of *Chlamydomonas reinhardtii*, effect of adenosine 3′,5′-cyclic monophosphate on function and regeneration of, cytological and EM study, 628
Fractionation, improved procedure, for preparation of rat liver membrane-bound ribosomes, biochemical and EM study, 191
Fracture of plastic-embedded cells, scanning EM study, 876
Frog *Rana catesbeiana*, eye, membrane characteristics and osmotic behavior of rod outer segments isolated from, physical and freeze-etch EM study, 389
— *Rana pipiens*, skeletal muscle, structure of triad junction in slow fibers of, EM study, 120

Frog *Rana pipiens*, skin, role of microfilaments in ion transport, light and EM study, 850
Fucose, and glycoproteins, localization of, in thyroidectomy cells of rat anterior pituitary gland, histochemical and autoradiographic light and EM study, 600

G

Gall bladder, of rabbit, effects of cationic polymers on membrane structure of epithelial cells of, EM study, 787
Gland, venom, of viperid snakes, regulation of protein synthesis in, biochemical and light and EM study, 177
Globule aggregates, surface rings, and transient openings, membrane lesions in immune lysis of sheep erythrocytes, EM study, 528
Glycoproteins, and fucose, localization of, in thyroidectomy cells of rat anterior pituitary gland, histochemical and autoradiographic light and EM study, 600
Goldfish *Carissius auratus*, brain, fine structure of synaptic discs from medulla oblongata, EM study, 92
Growth cones and nerve fibers, of individual sympathetic neuron in tissue culture, EM study, 713
Guinea pig, pancreas, effects of secretagogues on myoinositol incorporation into lipid in cytological fractions of, biochemical study, 736
—, smooth muscle, reversible disaggregation of myofilaments in, physiological and EM study, 399

H

Hamster *Mesocricetus auratus* and cricket *Acheta domesticus*, spermatocytes, structure of central region in synaptonemal complexes of, EM study, 145
Heart, bovine, mitochondria, characterization of adenine nucleotide-induced contraction of inner membrane of, biochemical and EM study, 51
—, bovine, mitochondria, effect of bongkrekic acid on adenine nucleotide-induced contraction of inner membrane of, biochemical and EM study, 65
Hemolysis, osmotic and saponin, of human erythrocytes, structure of membrane holes in, EM study, 519
Hemopoiesis, persistence of stem cells in vitro, cytological study, 429
Hepatocytes, of rat liver, morphometry of phenobarbital-induced membranes of, EM study, 746
Hormones, insulin and cortisol, induction of tyrosine aminotransferase, inhibition by cytochalasin B, in Reuber H-35 cells, biochemical study, 857
Human, erythrocytes, structure of membrane holes in osmotic and saponin hemolysis of, EM study, 528
5-Hydroxytryptamine, subcellular storage organelles for, in parafollicular cells of bat thyroid gland, effect of reserpine and parachlorophenylalanine, biochemical and autoradiographic light and EM study, 676

I

Insect, cricket *Acheta domesticus*, and hamster *Mesocricetus auratus*, spermatocytes, structure of central region in synaptonemal complexes of, EM study, 145
—*Drosophila melanogaster*, eggs, isolation and characterization of mitochondrial DNA from, biochemical and EM study, 580
—, housefly *Musca domestica*, oenocytes, phenobarbital-induced membrane-like scrolls in, EM study, 870
—, wood roach *Cryptocercus punctulatus*, axostyle isolated from gut protozoa of, dynein-like ATPase in, biochemical and light and EM study, 13
Insulin, secretion and endocytosis in rat adrenal medulla cells stimulated by, cytochemical light and EM study, 540
Interferon, effect of on saturation density of in vitro growth of mouse cells, cytological study, 846
Intestine, of rat fetus, absorption of horseradish peroxidase from swallowed amniotic fluid, cytochemical light and EM study, 106
Ion transport, in frog skin, role of microfilaments in, light and EM study, 850
Isoproterenol-induced phase shifts in circadian rhythm of mitosis in murine corneal epithelium, cytological study, 605

J

Junction, gap, (nexus), of rat cardiac muscle, morphometry of, EM study, 690
—, triad, structure of in frog slow fibers, EM study, 120
Junctions, in sarcoplasmic reticulum, of chicken cardiac muscle, EM study, 595

K

Kinetosomes, of *Ochromonas danica*, distribution of cytoplasmic and mitotic microtubules, cytological light and EM study, 340
—, of *Ochromonas danica*, role of nucleating sites in shape development, biochemical and light and EM study, 360

L

Leaf, greening, of bean, development of microbodies and peroxisomal enzymes in, biochemical and EM study, 500
Leukocytes, polymorphonuclear neutrophilic, of rat, temporal changes in pH in phagocytic vacuole of, cytological study, 379
Lipid, in cytological fractions of guinea pig pancreas, effects of secretagogues on myoinositol incorporation into, biochemical study, 736
Liver, of mouse, mitochondria, division of giant size of during recovery from cuprizone intoxication, EM study, 266
—, of rat, membrane-bound ribosomes, improved cell fractionation procedure for preparation of, biochemical and EM study, 191
—, of rat, microsomes, permeability of membranes of, biochemical study, 762

Liver, of rat, morphometry of phenobarbital-induced membranes of hepatocytes of, EM study, 746
—, of rat, rough microsomes, nondestructive disassembly of into ribosomal and membranous components, biochemical study, 206
Lung, of rabbit, alveolar macrophages, normal and BCG-induced lysosomal phospholipases A_1 and A_2 in, biochemical study, 621
—, of rat, plasma membrane of pulmonary endothelial cells, freeze-etch EM study, 492
Lymphocytes, of opossum, RNA synthesis in chromosome connectives of, autoradiographic study, 608
Lysine, poly-L-, interaction of with chromatin of *Drosophila melanogaster* chromosomes, inhibition of *in situ* RNA synthesis mediated by *Escherichia coli* RNA polymerase, biochemical and autoradiographic study, 139
Lysosomes, of normal and BCG-induced rabbit alveolar macrophages, phospholipases A_1 and A_2 of, biochemical study, 621

M

Macrophages, alveolar, of rabbit, normal and BCG-induced lysosomal phospholipases A_1 and A_2 in, biochemical study, 621
Mammary gland, of mouse, cell contacts in, in postnatal development and secretory cycle, light and freeze-fractured and scanning EM study, 797
Markers, use of in characterization and isolation of mammalian cell plasma membranes, review article, 275
Medulla oblongata, of goldfish, fine structure of synaptic discs separated from, EM study, 92
Membrane characteristics and osmotic behavior, of isolated rod outer segments, of frog eye, physical and freeze-etch EM study, 389
— fusion in model system, mucocyst secretion in *Tetrahymena pyriformis*, scanning and transmission EM study, 153
— holes, structure of, in osmotic and saponin hemolysis of human erythrocytes, EM study, 519
—, inner, of bovine heart mitochondria, characterization of adenine nucleotide-induced contraction of, biochemical and EM study, 51
—, inner, of bovine heart mitochondria, effect of bongkrekic acid on adenine nucleotide-induced contraction of, biochemical and EM study, 65
— lesions in immune lysis of sheep erythrocytes, surface rings, globule aggregates, and transient openings, EM study, 528
—, plasma, of pulmonary endothelial cells of rat lung, freeze-etch EM study, 492
— sites, antigenic, relation to cell aggregation in *Dictyostelium discoideum*, biochemical and immunological study, 647
— structure, of rabbit gall bladder epithelial cells, effects of cationic polymers on, EM study, 787
Membrane-bound ribosomes, of rat liver, improved cell fractionation procedure for preparation of, biochemical and EM study, 191
Membranes, phenobarbital-induced, of rat hepatocytes, morphometry of, EM study, 746
—, plasma, of mammalian cells, methods for characterization and isolation of, review article, 275
—, of rat liver microsome, permeability of, biochemical study, 762
— and ribosomes, nondestructive disassembly of rat liver rough microsomes into, biochemical study, 206
—, surface, myonemes, and endoplasmic reticulum, linkage of, in contractile ciliate *Vorticella convallaria*, light and EM study, 559
—, thylakoid, of *Chlamydomonas reinhardi*, synthesis of polypeptide in chloroplasts, biochemical study, 1
Methyl adenine, in DNA of *Tetrahymena pyriformis* macronucleus, biochemical study, 697
Microbodies, and peroxisomal enzymes, development of in greening bean leaves, biochemical and EM study, 500
Microfilament distribution and cell shape, in untransformed, SV40-transformed, and revertant Balb/c 3T3 cells, light and EM study, 412
Microfilaments, role of in frog skin ion transport, light and EM study, 850
Microsomes, of rat liver, permeability of membranes of, biochemical study, 762
—, rough, of rat liver, nondestructive disassembly of into ribosomal and membranous components, biochemical study, 206
Microtubule biogenesis and cell shape in *Ochromonas danica*, distribution of cytoplasmic and mitotic microtubules, cytological light and EM study, 340
— biogenesis and cell shape in *Ochromonas danica*, role of nucleating sites in shape development, biochemical and light and EM study, 360
— bundle, of axostyle of flagellate *Saccinobaculus*, light and EM study, 304
— bundle, of axostyle of flagellate *Saccinobaculus*, motion of, structural comparison of straight and bent axostyles, light and EM study, 324
Microtubules, in *Tetrahymena pyriformis*, regulation of in oral replacement, EM study, 441
—, in *Tetrahymena pyriformis*, relation between protein turnover and dissociation of during oral replacement, biochemical and light microscope study, 458
Mineralization front, in dentin of rat incisor, deposition of phosphoprotein, radioautographic and EM study, 838
Mitochondria, of bovine heart, characterization of adenine nucleotide-induced contraction of inner membrane of, biochemical and EM study, 51
—, of bovine heart, effect of bongkrekic acid on adenine nucleotide-induced contraction of inner membrane of, biochemical and EM study, 65
—, of Chang rat solid hepatoma and Novikoff rat ascites hepatoma cells, single strand-containing replicating molecules of circular DNA of, EM study, 230

Mitochondria, of Chang rat solid, Novikoff rat ascites, and Ehrlich mouse ascites hepatomas, catenated oligomeric circular DNA molecules from, EM study, 247
—, of *Drosophila melanogaster* eggs, isolation and characterization of DNA from, biochemical and EM study, 580
—, formation of in HeLa cells, biochemical and EM study, 833
—, of HeLa cells, effect of inhibition of protein synthesis on formation of, biochemical and EM study, 819
—, of mouse liver, division of giant size of during recovery from cuprizone intoxication, EM study, 266
Mitosis, in murine corneal epithelium, isoproterenol-induced phase shifts in circadian rhythm of, cytological study, 605
Mouse, corneal epithelium, isoproterenol-induced phase shifts in circadian rhythm of mitosis in, cytological study, 605
—, liver, mitochondria, division of giant size of during recovery from cuprizone intoxication, EM study, 266
—, macrophages, effect of phagocytosis and spreading on surface receptors of for concanavalin A, biochemical study, 611
—, mammary gland, cell contacts in, in postnatal development and secretory cycle, light and freeze-fractured and scanning EM study, 797
—, ventricular myocardium, labyrinthine structure formed from transverse tubule of, EM study, 865
—, weaver, cerebellar alterations in, cytological EM study, 478
Mucocyst secretion in *Tetrahymena pyriformis*, membrane fusion in model system, scanning and transmission EM study, 153
Muscle, cardiac, of chicken, morphologic specializations of sarcoplasmic reticulum, EM study, 595
—, cardiac, of rat, morphometry of nexus of, EM study, 690
—, skeletal, of frog, structure of triad junction in slow fibers of, EM study, 120
—, skeletal, of rat diaphragm, nonuniform rates of turnover of myofibrillar proteins in, biochemical study, 590
—, smooth, of guinea pig, reversible disaggregation of myofilaments in, physiological and EM study, 399
—, striated, of barnacle, ultrastructure of giant fibers of, light and EM study, 74
Myocardium, ventricular, of mouse, labyrinthine structure formed from transverse tubule of, EM study, 865
Myofibrillar proteins, nonuniform rates of turnover of, in rat diaphragm, biochemical study, 590
Myofilaments, in vertebrate smooth muscle, reversible disaggregation of, physiological and EM study, 399
Myoinositol incorporation into lipid, in cytological fractions of guinea pig pancreas, effects of secretagogues on, biochemical study, 736
Myonemes, endoplasmic reticulum, and surface membranes, linkage of, in contractile ciliate *Vorticella convallaria*, light and EM study, 559

N

Natal, post-, development, and secretory cycle, of mouse mammary gland, cell contacts in, light and freeze-fractured and scanning EM study, 797
Nerve fibers and growth cones, of individual sympathetic neuron in tissue culture, EM study, 713
Neuron, individual sympathetic, of rat superior cervical ganglia, branching patterns of in tissue culture, time-lapse cinematographic study, 702
—, individual sympathetic, of rat superior cervical ganglia, nerve fibers and growth cones of, EM study, 713
Nexus, of rat cardiac muscle, morphometry of, EM study, 690
Nucleating sites, role in microtubule biogenesis and cell shape development, in *Ochromonas danica*, biochemical and light and EM study, 360
Nuclei, of chicken blood, interaction of poly-L-lysine with chromatin in, inhibition of *in situ* RNA synthesis mediated by *Escherichia coli* RNA polymerase, biochemical and autoradiographic study, 139
Nucleus and cytoplasm, of *Amoeba proteus*, localization of nuclear RNA migrating between, autoradiographic EM study, 129
—, macro-, of *Tetrahymena pyriformis*, methyl adenine in DNA of, biochemical study, 697

O

Oenocytes, of house fly, phenobarbital-induced membrane-like scrolls in, EM study, 870
Openings, transient, surface rings, and globule aggregates, membrane lesions in immune lysis of sheep erythrocytes, EM study, 528
Opossum *Didelphis virginiana*, lymphocytes, RNA synthesis in chromosome connectives of, autoradiographic study, 608
Oral replacement in *Tetrahymena pyriformis*, regulation of microtubules in, EM study, 441
— replacement in *Tetrahymena pyriformis*, relation between protein turnover and dissociation of microtubules during, biochemical and light microscope study, 458
Osmotic behavior and membrane characteristics, of isolated rod outer segments, of frog eye, physical and freeze-etch EM study, 389

P

Pancreas, of guinea pig, effects of secretagogues on myoinositol incorporation into lipid in cytological fractions of, biochemical study, 736
Parachlorophenylalanine and reserpine, effect on subcellular storage organelles for 5-hydroxytryptamine in parafollicular cells of bat thyroid gland, biochemical and autoradiographic light and EM study, 676
Permeability, of rat liver microsomal membranes, biochemical study, 762
Peroxidase, horseradish, fetal rat intestinal absorption of, from swallowed amniotic fluid, cytochemical light and EM study, 106

pH changes in phagocytic vacuoles, of polymorphonuclear neutrophilic leukocytes, of rat, cytological study, 379
Phagocytosis and spreading, effect on macrophage surface receptors for concanavalin A, biochemical study, 611
—, by vacuole of polymorphonuclear neutrophilic leukocyte of rat, temporal pH changes in, cytological study, 379
Phenobarbital-induced membrane-like scrolls, in oenocytes of housefly, EM study, 870
— membranes, of rat hepatocytes, morphometry of, EM study, 746
Phospholipases A_1 and A_2, lysosomal, of normal and BCG-induced alveolar macrophages, biochemical study, 621
Phosphoprotein, deposition of, at mineralization front in dentin of rat incisor, radioautographic and EM study, 838
Phytohemagglutinin-P and concanavalin A, pleiotropic changes in CHO cells resistant to, biochemical and cytological study, 666
Pituitary gland, anterior, of rat, detection of glycoproteins and fucose in thyroidectomy cells of, histochemical and autoradiographic light and EM study, 600
Plant, bean *Phaseolus vulgaris*, greening leaves, development of microbodies and peroxisomal enzymes in, biochemical and EM study, 500
—, pine *Pinus echinata*, organization of intravacuolar cytoplasm of maturing tracheids of, scanning EM study, 263
Plasma membranes, of mammalian cells, methods for characterization and isolation of, review article, 275
Plastic-embedded cells, fractographic study of by scanning EM, 876
Pleiotropic changes in CHO cells resistant to concanavalin A and phytohemagglutinin-P, biochemical and cytological study, 666
Polymers, cationic, polylysine, protamine, and histone, effects of on membrane structure of rabbit gall bladder epithelial cells, EM study, 787
Polypeptide, synthesis of, in chloroplast membranes of *Chlamydomonas reinhardi*, biochemical study, 1
Polystyrene, adhesion of baby hamster kidney cells to, biochemical study, 659
Protein, phospho-, deposition of, at mineralization front in dentin of rat incisor, radioautographic and EM study, 838
— synthesis, mitochondrial, effect of inhibition of on formation of HeLa cells mitochondria, biochemical and EM study, 819
— synthesis, regulation of, in venom gland of viperid snakes, biochemical and light and EM study, 177
— turnover and dissociation of microtubules, relation between, during oral replacement in *Tetrahymena pyriformis*, biochemical and light microscope study, 458
Proteins, glyco-, and fucose, localization of, in thyroidectomy cells of rat anterior pituitary gland, histochemical and autoradiographic light and EM study, 600
Proteins, myofibrillar, nonuniform rates of turnover of, in rat diaphragm, biochemical study, 590
—, of *Paramecium* surface, puromycin-insensitive amino acid incorporation of, biochemical study, 434
Protozoa, of *Cryptocercus* gut, dynein-like ATPase in axostyle of, biochemical and light and EM study, 13
—, flagellate *Saccinobaculus lata* and *S. ambloaxostylus*, axostyle, motion of microtubule bundle, structural comparison of straight and bent axostyles, light and EM study, 324
—, flagellate *Saccinobaculus lata* and *S. ambloaxostylus*, axostyle, structure of, and microtubule bundle, light and EM study, 304
Protozoan *Amoeba proteus*, nucleus, localization of small nuclear RNA and migrating RNA between cytoplasm and, autoradiographic EM study, 129
— *Ochromonas danica*, microtubule biogenesis and cell shape in, distribution of cytoplasmic and mitotic microtubules, cytological light and EM study, 340
— *Ochromonas danica*, microtubule biogenesis and cell shape in, role of nucleating sites in shape development, biochemical and light and EM study, 360
— *Paramecium aurelia*, synthesis of surface proteins of, puromycin-insensitive amino acid incorporation, biochemical study, 434
— *Tetrahymena pyriformis*, macronucleus, methyl adenine in DNA of, biochemical study, 697
— *Tetrahymena pyriformis*, mucocyst secretion in, membrane fusion in model system, scanning and transmission EM study, 153
— *Tetrahymena pyriformis*, oral replacement, regulation of microtubules in, EM study, 441
— *Tetrahymena pyriformis*, oral replacement, relation between protein turnover and dissociation of microtubules during, biochemical and light microscope study, 458
— *Vorticella convallaria*, linkage of myonemes, endoplasmic reticulum, and surface membranes of, light and EM study, 559
Purkinje cell dendritic spines, in weaver mouse cerebellum, cytological EM study, 478
Puromycin-insensitive amino acid incorporation, by surface proteins of *Paramecium*, biochemical study, 434

R

Rabbit, alveolar macrophages, normal and BCG-induced, lysosomal phospholipases A_1 and A_2, in biochemical study, 621
—, gall bladder, effects of cationic polymers on membrane structure of epithelial cells of, EM study, 787
Radioactive label, [^{3}H]adenine, methyl adenine in DNA of *Tetrahymena pyriformis* macronucleus, biochemical study, 697
— label, [^{14}C]amino acids, regulation of protein synthesis in venom gland of viperid snakes, biochemical and light and EM study, 177
— label, arginine-^{3}H, synthesis of polypeptide of

chloroplast membranes in *Chlamydomonas reinhardi*, biochemical study, 1
Radioactive label, [^{125}I]concanavalin A, effect of phagocytosis and spreading on macrophage surface receptors for concanavalin A, biochemical study, 611
— label, [^{125}I]concanavalin A and [^{131}I]sodium iodide, pleiotropic changes in CHO cells resistant to concanavalin A and phytohemagglutinin-P, biochemical and cytological study, 666
— label, [^{14}C]cortisol, [^{3}H]dibutyryl cyclic AMP, and [^{125}I]insulin, cytochalasin B inhibition of induction of tyrosine aminotransferase by insulin and cortisol in Reuber H-35 hepatoma cells, biochemical study, 875
— label, 2-deoxy[^{3}H]glucose, dibutyryl cyclic adenosine monophosphate, sugar transport, and regulatory control of cell division in normal and transformed 3T3 cells, biochemical study, 487
— label, [^{3}H]deoxyglucose, [^{3}H]leucine, [^{3}H]thymidine, and [^{3}H]uridine, inhibition of DNA synthesis in chick embryo cultures by serum and zinc deprivation, biochemical study, 777
— label, ^{14}C with dextran, glucose, sucrose, maltotriose, inulin, G6P, NAD, NADP, morphine, nephthalene, naphtol and ^{3}H with glycerol, ouabain, acetate, mevalonate, and IDP, permeability of rat liver microsomal membranes, biochemical study, 762
— label, [^{14}C]DNA and [^{3}H]RNA, isolation and characterization of mitochondrial DNA from *Drosophila melanogaster* eggs, biochemical and EM study, 580
— label, [^{59}Fe]ferric citrate, persistence of hemopoietic stem cells in vitro, cytological study, 429
— label, [^{3}H]fucose, localization of glycoproteins and fucose in thyroidectomy cells of rat anterior pituitary gland, histochemical and autoradiographic light and EM study, 600
— label, [5-^{3}H]hydroxytryptophan, subcellular storage organelles for 5-hydroxytryptamine in parafollicular cells of bat thyroid gland, effect of reserpine and parachlorophenylalanine, biochemical and autoradiographic light and EM study, 676
— label, [^{14}C]leucine and [^{14}C]*N*-ethylmaleimide, adhesion of BHK-21-13s and BHK-py cells to polystyrene, biochemical study, 659
— label, [^{14}C]leucine, [^{3}H]leucine, and [^{14}C]lysine, nonuniform rates of turnover of myofibrillar proteins in rat diaphragm, biochemical study, 590
— label, [^{14}C]leucine and [^{3}H]leucine, synthesis of *Paramecium* surface proteins, puromycin-insensitive amino acid incorporation, biochemical study, 434
— label, [^{14}C]leucine, [^{14}C]protein hydrolysate, and [^{14}C]amino acids, microtubule biogenesis and cell shape in *Ochromonas danica*, role of nucleating sites in shape development, biochemical and light and EM study, 360
— label, [^{3}H]leucine and [^{3}H]puromycin, nondestructive disassembly of rat liver rough microsomes into ribosomal and membranous components, biochemical study, 206
Radioactive label, [^{3}H]leucine and [^{14}C]uridine, effect of inhibition of mitochondrial protein synthesis on mitochondrial formation, in HeLa cells, biochemical and EM study, 819
— label, [^{14}C]linoleoyl glycerophosphorylethanolamine and [^{14}C]linoleic acid, lysosomal phospholipases A_1 and A_2 of normal and BCG-induced alveolar macrophages, biochemical study, 621
— label, [^{3}H]myoinositol, effects of secretagogues on myoinositol incorporation into lipid in cytological fractions of guinea pig pancreas, biochemical study, 736
— label, [^{14}C]phenylalanine, [^{3}H]leucine, and [^{3}H] orotic acid, improved cell fractionation procedure for preparation of rat liver membrane-bound ribosomes, biochemical and EM study, 191
— label, [^{32}P]phosphate, [^{3}H]serine, and [^{3}H]proline, deposition of phosphoprotein at mineralization front in dentin of rat incisor, radioautographic and EM study, 838
— label, [^{3}H]protein hydrolysate, relation between protein turnover and dissociation of microtubules during oral replacement, in *Tetrahymena pyriformis*, biochemical and light microscope study, 458
— label, [^{3}H]uridine, RNA synthesis in chromosome connectives of opossum lymphocytes, autoradiographic study, 608
— label, [^{3}H]uridine triphosphate, interaction of poly-L-lysine with chromatin, inhibition of *in situ* RNA synthesis mediated by *Escherichia coli* RNA polymerase, biochemical and autoradiographic study, 139
Rat, adrenal medulla, insulin-stimulated, secretion and endocytosis in, cytochemical light and EM study, 540
– , anterior pituitary gland, detection of glycoproteins and fucose in thyroidectomy cells of, histochemical and autoradiographic light and EM study, 600
—, cardiac muscle, morphometry of nexus of, EM study, 690
—, diaphragm, nonuniform rates of turnover of myofibrillar proteins in, biochemical study, 590
—, fetus, intestine, absorption of horseradish peroxidase from swallowed amniotic fluid, cytochemical light and EM study, 106
—, incisor, deposition of phosphoprotein at mineralization front in dentin of, autoradiographic and EM study, 838
—, liver, hepatocytes, phenobarbital-induced membranes, morphometry of, EM study, 746
—, liver, membrane-bound ribosomes, improved cell fractionation procedure for preparation of, biochemical and EM study, 191
—, liver, microsomes, permeability of membranes of, biochemical study, 762
—, liver, rough microsomes, nondestructive disassembly of into ribosomal and membranous components, biochemical study, 206
—, lung, plasma membrane of pulmonary endothelial cells, freeze-etch EM study, 492
—, polymorphonuclear neutrophilic leukocytes, pH changes in phagocytic vacuole of, cytological study, 379

Rat, superior cervical ganglia, branching pattern of individual neuron of in tissue culture, time-lapse cinematographic study, 702
—, superior cervical ganglia, nerve fibers and growth cones of individual neuron of in tissue culture, EM study, 713
Replicating molecules, single strand-containing, of circular mitochondrial DNA, from hepatoma cells, EM study, 230
Reserpine and parachlorophenylalanine, effect on subcellular storage organelles for 5-hydroxytryptamine in parafollicular cells of bat thyroid gland, biochemical and autoradiographic light and EM study, 676
Reticulum, endoplasmic, myonemes, and surface membranes, linkage of, in contractile ciliate *Vorticella convallaria*, light and EM study, 559
Rhizoplast, of *Ochromonas danica*, distribution of cytoplasmic and mitotic microtubules, cytological light and EM study, 340
—, of *Ochromonas danica*, role of nucleating sites in shape development, biochemical and light and EM study, 360
Ribosomes, membrane bound, of rat liver, improved cell fractionation procedure for preparation of, biochemical and EM study, 191
— and membranes, nondestructive disassembly of rat liver rough microsomes into, biochemical study, 206
Rings, surface, globule aggregates, and transient openings, membrane lesions in immune lysis of sheep erythrocytes, EM study, 528
RNA, *in situ* synthesis mediated by *Escherichia coli* RNA polymerase, inhibition of in *Drosophila* chromosomes, interaction of poly-L-lysine with chromatin, biochemical and autoradiographic study, 139
—, nuclear, migrating between nucleus and cytoplasm, localization of in *Amoeba proteus*, autoradiographic EM study, 129
— synthesis, in chromosome connectives, of opossum lymphocytes, autoradiographic study, 608
Rod outer segments, isolated from frog eye, membrane characteristics and osmotic behavior of, physical and freeze-etch EM study, 389

S

Sarcoplasmic reticulum, of chicken cardiac muscle, junctions in, EM study, 595
Saturation density, of in vitro growth of mouse cells, effect of interferon on, cytological study, 846
Secretagogues, pilocarpine and caerulein, effects on myoinositol incorporation into lipid in cytological fractions in guinea pig pancreas, biochemical study, 736
Secretion and endocytosis, in rat adrenal medulla cells stimulated by insulin, cytochemical light and EM study, 540
Secretory cycle and postnatal development, of mouse mammary gland, cell contacts in, light and freeze-fractured and scanning EM study, 797
Serum or zinc, effects on DNA synthesis in chick embryo cultures, biochemical study, 777
Sheep, erythrocytes, membrane lesions in immune lysis of, surface rings, globule aggregates, and transient openings, EM study, 528
Skin, of frog, role of microfilaments in ion transport, light and EM study, 850
Slime mold *Dictyostelium discoideum*, relation of antigenic membrane sites to cell aggregation in, biochemical and immunological study, 647
Snakes, *Vipera ammodytes* and *V. palaestinae*, venom gland, regulation of protein synthesis in, biochemical and light and EM study, 177
Sodium current in cultured chick embryo heart cells, tetrodotoxin sensitivity of, cytological study, 255
Somites, of chick embryo, chondrogenesis in, biochemical and light and EM study, 27
Spermatocytes, of hamster and cricket, structure of central region in synaptonemal complexes of, EM study, 145
Spreading and phagocytosis, effect on macrophage surface receptors for concanavalin A, biochemical study, 611
Stem cells, hemopoietic, persistence of in vitro, cytological study, 429
Sugar transport, dibutyryl cyclic adenosine monophosphate, and regulatory control of cell division, in normal and transformed 3T3 cells, biochemical study, 487
Sulfhydryl binding reagents, effect on adhesion of baby hamster kidney cells to polystyrene, biochemical study, 659
Synaptic discs, separated from goldfish medulla oblongata, EM study, 92
Synaptonemal complexes, of hamster and cricket spermatocytes, structure of central region in, EM study, 145

T

Tetrodotoxin sensitivity, of cultured chick embryo heart cells, cytological study, 255
Thioacetamide, effect on phenobarbital-induced membrane-like scrolls in housefly oenocyte, EM study, 870
Thyroid gland, of bat, subcellular storage organelles for 5-hydroxytryptamine in parafollicular cells of, effect of reserpine and parachlorophenylalanine, biochemical and autoradiographic light and EM study, 676
Tissue culture of rat superior cervical ganglia, branching patterns of individual sympathetic neurons, time-lapse cinematographic study, 702
— culture of rat superior cervical ganglia, nerve fibers and growth cones of isolated sympathetic neurons, EM study, 713
— disruption, characterization and isolation of plasma membranes of mammalian cells, review article, 275
Tooth, of rat, deposition of phosphoprotein at mineralization front in dentin of incisor, radioautographic and EM study, 838
Tracheids, maturing, of *Pinus echinata*, organization of intravacuolar cytoplasm in, EM study, 263

Triad junction, structure of in frog slow fibers, EM study, 120
Tubule, transverse, of mouse ventricular myocardium, labyrinthine structure formed from, EM study, 865
Tyrosine aminotransferase, induction of by insulin and cortisol, inhibition by cytochalasin B, in Reuber H-35 cells, biochemical study, 857

V

Vacuole, phagocytic, of rat polymorphonuclear neutrophilic leukocyte, temporal changes in pH in, cytological study, 379
Venom gland, of viperid snakes, regulation of protein synthesis in, biochemical and light and EM study, 177

W

Water compartments, and permeability, of rat liver microsomal membranes, biochemical study, 762

Y

Yeast *Schizosaccharomyces pombe*, inhibition of cell division in by Colcemid, cytological study, 259

Z

Zinc or serum, effects on DNA synthesis in chick embryo cultures, biochemical study, 777